


CAP. TONS	SPAN L	A	F	G	J MIN.	K	WHEEL DIA.	# OF WHEELS	W.B.	CRANE RAIL	BRIDGE SPEED	POWER SUPPLY	MAX. WHEEL LOAD LBS.	BRIDGE WEIGHT LBS.	
10	40'-0"	2'-1"	6"	16"	13"	-1.5"	12"	4	9'-0"	40#	100 FPM VARIABLE	460/3/60	14100	11000	
	50'-0"	2'-7"				-1.5"			9'-0"				15200	14700	
	60'-0"	2'-9"				6"			9'-0"				16300	18500	
	70'-0"	3'-0"				8"			10'-0"				17500	23000	
10	80'-0"	3'-2"	10"	16"	9"	9"	12"	4	12'-0"	60#	100 FPM VARIABLE	460/3/60	19200	29600	
	90'-0"	3'-4"							11"				13'-0"	20900	36200
	100'-0"	3'-5"							12"				15'-0"	23000	44500

NOTES:

1. BRIDGE WHEEL LOADS ARE BASED ON A MAXIMUM TROLLEY WEIGHT OF 4400 LBS.



AMERICAN CRANE & EQUIPMENT CORPORATION

DOUGLASSVILLE, PA. 19518 U.S.A.
PHONE: 610-385-6061
FAX: 610-385-3191

CLASS D TOP RUNNING DOUBLE GIRDER CRANE WITH ROTATING AXLE WHEELS

10 TON CAPACITY

PRODUCT INFORMATION

DWG. NO: A-20418-1302

DATE: 3/11/13

REVISION: 0